



**detectortesters**  
testing technology from No Climb

**sealanindonesia**  
fire protection specialist

01



### Testifire XTR2 All-in-one Connected Smoke/Heat Detector Test Kit

**TESTIFIRE-XTR2-001**

- For smoke / heat test
- Clearing mode to eliminate repeat alarms
- High heat setting allows for testing of heat detectors set to 100°C
- Auto LED torch for testing in dark areas
- Connects with the **DT Connect App** for automatic reporting

**Includes:**

- A** 1 x Testifire-XTR2-HEAD-001
- B** 1 x Testifire-GEN-001 Smoke Generator
- C** 1 x TES3 Smoke Cartridge
- D** 1 x Testifire-BP-001 Li-ion Battery
- E** 1 x Testifire-CHAK-001 Charger Kit



#### Smoke / Heat Testing

Rapid smoke generation and fast hi-heat testing with precision.



#### Multi-Criteria

Sequential & combined modes for flexible workflows.



#### Aspirating Systems

ASD compatibility with easy adaptor integration.

**800**

Bursts of smoke per registered cartridge

**550**

Smoke tests per full battery charge

**120.000**

Smoke seconds per generator lifetime (~8000 smoke tests)



**Battery capacity for each test mode:**

100 heat  
55 hi-heat  
250 combined tests

Click to learn more **YouTube**

# TESTIFIRE XTR2 ACCESSORIES

02



## TESTIFIRE XTR2 Smoke Generator

**TESTIFIRE-GEN-1PK-001**

Replacement smoke generator for the XTR2 smoke and heat tester

03



## TESTIFIRE XTR2 Lithium Ion Battery Pack

**TESTIFIRE-BP-001**

- Rechargeable battery
- USB-C charger connection
- Fast charge time - 90 minutes

04



## TESTIFIRE XTR2 Charge Cradle

**TESTIFIRE-CHA-001**

Charger cradle for use with the XTR2 battery pack (TESTIFIRE-BP-001)

05



## TESTIFIRE XTR2 Stand Off Plate

**TESTIFIRE-SOP-001**

Stand-off plate fitted within the XTR2 cup

06



## TESTIFIRE XTR2 Smoke Cartridge

**TES3-6PACK-001**

- Smoke cartridge for Testifire XTR2
- Non-hazardous
- Non-pressurised
- Approx. up to 800 bursts

07



## TESTIFIRE XTR2 Adaptor (Heat)

**TESTIFIRE-FA-001**

Adaptor for use within XTR2 (for heat)

08



## TESTIFIRE XTR2 Wall Power Supply Unit

**TESTIFIRE-WPSU-001**

Wall PSU for use with the XTR2 battery pack (TESTIFIRE-BP-001)

Includes:

- A** US adaptor
- B** AUS / NZ adaptor
- C** EU adaptor
- D** UK adaptor

09



## **A** TESTIFIRE XTR2 Membrane 90 mm

**TESTIFIRE-MEM-001**

Membrane for use with XTR2 with diameter 90mm

## **B** TESTIFIRE XTR2 Membrane 122 mm

**TESTIFIRE-MEML-001**

Membrane for use with XTR2 with diameter 122mm

## **C** TESTIFIRE XTR2 Membrane 162 mm

**TESTIFIRE-MEMXL-001**

Membrane for use with XTR2 with diameter 162mm

10



## TESTIFIRE XTR2 Charger Kit

**TESTIFIRE-CHAK-001**

Charger kit for use with the XTR2 battery pack (TESTIFIRE-BP-001)

Includes:

- A** 1x charge cradle
- B** 1x wall PSU
- C** 1x car PSU

11



**Testifire 2000-001 Smoke/Heat/CO Test include Head Unit, Smoke&CO Capsule**

**TESTIFIRE-2000-001**

- For smoke / heat / CO test
- Features clearing mode to eliminate re-alarms
- High heat setting allows for testing of heat detectors set to 100°C
- UL Certified
- Compatible with TS3 Smoke Cartridge & TC3 CO Capsule (No 12 & 13)
- Compatible with Solo 100, 101, & 108 Telescopic Pole (no. 21, 22, & 23)

**Includes:**

- 1 x Testifire 2000 Head Unit
- 1 x TS3 Smoke Capsule
- 1 x TC3 CO Capsule



12



**TESTIFIRE-3PACK-001 - CO Capsule for Testifire**

**TC3-3PACK-001**

- Non-hazardous
- Non pressurised
- Compatible with Testifire 2000 (no. 25)

13



**TS3-3PACK-001 - Smoke Capsule for Testifire**

**TS3-3PACK-001**

- Non-hazardous
- Non pressurised
- Compatible with Testifire 2000 & 1000 (no. 25 & 26)

14



**Testifire25 - Testifire Remote Control**

**TESTIFIRE-25-001-001**

- Used to start and stop test process
- For use when detector cannot activate the tester
- Includes lanyard

Click to learn more  **YouTube**



# DETECTOR TESTING AEROSOLS



**15** **Solo A10 - Aerosol Smoke Tester 150ml**  
**SOLO-A10-001**

- Size: 150ml
- Non-Flammable
- HFC-Free
- Up to 100 test activities
- *Compatible with Solo 330 (no. 24)*




**16** **Solo A10s - Aerosol Smoke Tester 250ml**  
**SOLO-A10S-001**

- Size: 250ml
- Non-Flammable
- HFC-Free
- Up to 170 test activities
- *Compatible with Solo 330 (no. 24)*




**17** **Solo A5 - Aerosol Smoke Tester 250ml (Flammable)**  
**SOLO-A5-001**

- Size 250ml
- Flammable
- UL and ULC certified
- *Compatible with Solo 330 (no. 24)*





**18** **Solo C3 - Carbon Monoxide CO Detector Tester 250ml**  
**SOLO-C3-001**

- Size 250ml
- Non-flammable
- CO stimulus
- *Compatible with Solo 330 (no. 24)*



**19** **SMOKESABRE Hand Held Aerosol 100ML**  
**SMOKESABRE-100-001**


- Size 100ml & 150ml
- Fast detector activation
- Silicone-free testing
- No harmful residue
- Fast detector activation
- Ideal for use on smaller job
- Up to 80 test activities (100ml) and 120 test activities (150ml)





**20** **DustAir 10oz Trigger - Smoke Detector Cleaning Aerosol (Replacement Solo A7)**  
**HO-DUS910S**


- Size: 10 oz (283.5g)
- 100% pure gas
- Zero ODP (Ozone Depletion Potential)
- Complies with EPA and CARB standards
- Designed for cleaning smoke detectors and electronic equipment before testing



# TELESCOPIC ACCESS POLES


**21** **Solo 100 - Fibreglass 4 Section Telescopic Pole (4.5m)**  
**SOLO-100-001**

- Extends to 4.5m to provide max. reach of 6m
- Can be used with up to 3x Solo 101
- Simple locking mechanism
- Certified non-conductive
- *Compatible with Solo smoke/heat detector tester heads and Testfire units.*



**22** **Solo 108 - Fibreglass 2 Section Telescopic Pole (2.2m)**  
**SOLO-100-001**

- Extends to 2.2m to provide max. reach of 4m
- Can be used with up to 3x Solo 101
- *Compatible with Solo smoke/heat detector tester heads and Testfire units.*



**23** **Solo 101 - Fibreglass Extension Pole (1.13m)**  
**SOLO-101-001**

- Extends to 1.13m to provide max. reach of 2.5m
- Simple locking mechanism
- Optimum strength to weight ratio
- *Designed to extend Solo 100 and Solo 108*




# SMOKE DETECTOR TESTING

24



## Solo 330 - Aerosol Dispenser Smoke CO

**SOLO-330-001**

- Lightweight & universal design
- Up to 100mm / 4" diameter
- Transparent test cup for clear view
- Compatible with Solo A10, A10s, A5, & C3 (no. 15, 16, 17 & 18)
- Compatible with Solo 100, 101, & 108 (no 21, 22 & 23)



25



## Solo 365 Electronic Smoke Detector Test Kit

**SOLO-365-001**

- Uses non-hazardous, non-pressurised cartridges to generate smoke
- Lighter and quicker to use

### Includes:

- 1 x Solo 365-001 Smoke Detector Tester
- 1 x Solo ES3-001 Smoke Cartridge
- 1 x Solo 371-001 Smoke Generator
- 1 x Solo 370-001 Li-ion Battery Pack
- 1 x USB Universal Charger



25a



## Solo 365 Electronic Smoke Detector Test (Head)

**SOLO-365-001**

- Auto-start sensor initiates test
- Auto LED torch for testing in dark areas
- Clearing mode for eliminating re-alarms
- Flexible head

26



## Solo 370 - Lithium ION Battery Pack (for Solo 365)

**SOLO-370-001**

- Lithium-Ion (Li-ion) Battery
- Long-lasting capacity for repeated smoke detector testing
- Fast and efficient recharging
- Lightweight, portable, and easy to install

27



## Solo ES3 - Smoke Cartridge (for Solo 365)

**ES3-12PACK-001**

- Detector manufacturer approved
- Non-flammable, non-pressurised & non-hazardous
- Rapid activation of detectors

28



## Solo 371 - Replacement Smoke Generator (for Solo 365)

**SOLO-371-1PACK-001**

- Replacement for smoke generator

29



## Solo 372 - ASD Adaptor (for Solo 365)

**SOLO-372-001**

- Allows placement around ASD pipe and alignments with sampling hole
- Compatible with Solo 365 (no. 25)

30



## Solo 365 - Membrane

**SPARE1059-001**

- Membrane for Solo 365

# HEAT DETECTOR TESTING

31



## Solo 424 - Heat Detector Tester

**SOLO-424-101**

- Suits fixed temperature, rate-of-rise and combination detectors up to 194°F / 90°C
- Quickest activation times
- 5m cable
- Lightweight & universal design
- *Compatible with Solo 100, 101, & 108 (no. 21, 22 & 23)*

32



## Solo 461 - Cordless Heat Detector Tester Kit

**SOLO-461-001**

- No cables, trailing leads or hanging wires
- Battery powered
- Universal design suits wide range of detectors
- Can be connected to Solo access poles for testing detectors up to 9m reach

**Includes:**

- 1 x Solo 460-001 Cordless Heat Head Unit
- 1 x Solo 727-001 Fast Charger
- 2 x Solo 770-001 Battery Baton



33



## Solo 460 - Cordless Heat Detector Tester Head

**SOLO-460-001**

- Suits fixed temperature, rate-of-rise and combination detectors up to 194°F / 90°C
- Lightweight and universal design
- Transparent test cup for clear view of detector LED
- Designed for use at height, angles or low level
- Powered with Solo 770 Battery Baton & Solo 727 Battery Charger (no. 34 & 35)
- *Compatible with Solo 100, 101, & 108 (no. 21, 22 & 23)*



34



## Solo 727 - Battery Charger (for Solo 460)

**SOLO-727-001**

- 220/240v Mains & Car Charger for Solo 770
- Charge battery ± 90 minutes
- *Compatible with Solo 770 Battery (no. 35)*

35



## Solo 770 - Battery Baton (for Solo 460)

**SOLO-770-001**

- 3,000 mAh capacity
- Can be charged in 60-90 minutes
- *Charge only with Solo 727 (no. 34)*
- *Compatible with Solo 460 and Testfire 2000 (no 33 & 11)*

# DETECTOR REMOVAL

36



## Solo 200 - Detector removal Tool

**SOLO-200-001**

- Universal design
- Suitable for use at angles
- Removes and replaces detectors
- *Compatible with Solo 100, 101, & 108 (no. 21, 22, & 23)*

## PROTECTIVE BAG

37



### Solo 610 - Protective Storage Bag

**SOLO-610-001**

- Designed to carry a complete test equipment set of Solo testers
- Capacity for 3 heads and other tools Includes Solo Pole Bag for Solo 100 & Solo 101
- Includes Solo Pole Bag for Solo 100 & Solo 101

38



### Solo 611 - Urban Lightweight Backpack

**SOLO-611-001**

- Velcro adjustable compartments
- Fits one Solo or Testifire head unit & necessary accessories
- Padded back and adjustable straps with compartment for laptop
- Includes Solo 612 Pole Bag

## TEST AND MAINTENANCE KITS

39



### Solo 814 - Detector Testing Kit - Smoke Heat CO Removal Pole (6m reach)

**SOLO-814-101**

Smoke & Mains Heat Detector Test Kit to 6 metres

#### Includes:

- A** 1 x Solo 610 Protective Carrying/Storage Bag
- B** 1 x Solo 200 Universal Removal Tool
- C** 1 x Solo A10 Aerosol Smoke Detector Tester
- D** 1 x Solo 330 Aerosol Smoke Dispenser
- E** 1 x Solo 424 Heat Detector Tester\*
- F** 1 x Solo 100 Fibreglass Telescopic Pole (4.5m up to 6m reach)

40

### Solo 822 - Detector Testing Kit - Smoke Heat CO Removal Pole (6m reach)

**SOLO-822-101**

Smoke & Cordless Heat Detector Test Kit to 6 metres - 2 Batons

#### Includes:

- A** 1 x Solo 610 Protective Carrying/Storage Bag
- B** 1 x Solo 200 Universal Removal Tool
- C** 1 x Solo A10 Aerosol Smoke Detector Tester
- D** 1 x Solo 330 Aerosol Smoke Dispenser
- E** 1 x Solo 461 Cordless Heat Detector Tester Kit \*
  - Includes:
    - 1 x Solo 460 Cordless Heat Detector Head
    - 1 x Solo 727 Battery Charger
    - 2 x Solo 770 Battery Baton
- F** 1 x Solo 100 Fibreglass Telescopic Pole (4.5m up to 6m reach)





**XTR2**  
All-in-One  
Smoke/Heat  
Test Head



**Testifire 2000**  
Smoke/Heat/  
CO Test Head



**Solo 330**  
Aerosol  
Smoke  
Dispenser



**Solo 461**  
Cordless Heat  
Detector Tester



**Solo 424**  
Heat Detector  
Tester (*mains  
powered*)



**Solo 200**  
Detector  
Removal Tool



**Solo A10/A10s**  
Aerosol  
Smoke  
Tester (Non  
Flammable)



**Solo A5**  
Smoke Test  
Aerosol  
(Flammable)




**Solo C3**  
Carbon  
Monoxide  
CO  
Detector  
Tester



**DustAir**  
Cleaning Aerosol  
(Replacement  
Solo A7)



**SmokeSabre**  
Smoke Test  
Aerosol



## HEAD OFFICE

### Tangerang

Kompleks Duta Indah Iconic  
Blok D No. 21-22, Jl. MH Thamrin Km. 2,  
Kebon Nanas, Tangerang 15143

+62 21 38950236

+62 813 8259 3017

sales@sealan-indonesia.com

## SALES OFFICES

### Jakarta

Kompleks Ruko Business Park Blok H-6  
Jl. Raya Meruya Ilir No. 88, RT.1/RW.5,  
Meruya Utara, Jakarta Barat 11620

+62 21 30067910

### Surabaya

Komplek Ruko Mangga Dua Blok B6-  
09, Jl. Jagir Wonokromo No. 100, Jagir  
Wonokromo, Surabaya 60244

+62 31 99855123

### Bali

Jl. Bypass Ngurah Rai No. 2,  
Jimbaran, Kuta Selatan,  
Kabupaten Badung, Bali 80361

+62 36 19587006